

## **1. Identification of the substance/preparation and of the company/undertaking**

### *Identification of the product*

Potassium chromate

### *Manufacturer/supplier identification*

Company: Guangdong Guanghua Sci-Tech Co.,Ltd

Address: No.295 Daxue Road,Shantou

PostCode:515000

E-mail: [export@ghtech.com](mailto:export@ghtech.com)

Emergency telephone No.: +86-754-82515813

Fax No.: +86-754-88221999

## **2. Hazards identification**

### **Classification of the substance or mixture**

#### **Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]**

Acute toxicity, Oral (Category 3)

Skin corrosion/irritation (Category 2)

Serious eye damage/eye irritation (Category 2A)

Skin sensitization (Category 1)

Germ cell mutagenicity (Category 1B)

Carcinogenicity (Category 1B)

Specific target organ toxicity - single exposure (Category 3), respiratory tract irritation

Short-term (acute) aquatic hazard (Category 1)

Long-term (chronic) aquatic hazard (Category 1)

### **Label elements**

Pictogram



Signal word    Danger

### **Hazard statement(s)**

H301    Toxic if swallowed.

H315    Causes skin irritation.

H317    May cause an allergic skin reaction.

H319    Causes serious eye irritation.

H335    May cause respiratory irritation.

H340    May cause genetic defects.

H350    May cause cancer.

H410    Very toxic to aquatic life with long lasting effects.

### **Precautionary statement(s)**

P201    Obtain special instructions before use.

P202    Do not handle until all safety precautions have been read and understood.

P261    Avoid breathing dust/fume/gas/mist/vapours/spray

P264    Wash skin thoroughly after handling.

P270    Do not eat, drink or smoke when using this product.

P271    Use only outdoors or in a well-ventilated area.

# GHTECH

## Material Safety Data Sheet

---

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P330	Rinse mouth
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

Supplemental Hazard Statements  
none

### 3. Composition/information on ingredients

#### *Synonyms*

Potassium chromate

CAS-No.: 7789-00-6

*M*: 194.19 g/mol

Molecular formula:  $K_2CrO_4$

### 4. First aid measures

#### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### **In case of skin contact**

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### **In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### **If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 5. Fire-fighting measures

#### **Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### **Advice for firefighters**

Wear self contained breathing apparatus for fire fighting if necessary.

### 6. Accidental release measures

#### **Personal precautions**

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the

environment must be avoided.

### **Methods and materials for containment and cleaning up**

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

## **7. Handling and storage**

### **Precautions for safe handling**

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition.

### **Conditions for safe storage**

Keep container tightly closed in a dry and well-ventilated place.

## **8. Exposure controls and personal protection**

### **Appropriate engineering controls**

General industrial hygiene practice.

### **Personal protective equipment**

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### **Body Protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

## **9. Physical and chemical properties**

**Form:** crystalline

**Colour:** yellow

**Odour:** not available

**pH value:** not available

**Melting point:** 985 °C

**Boiling point:** 1000°C

**Ignition temperature:** not available

**Flash point:** not available

**Autoignition temperature:** not available

**Explosion limits**

**lower:** not available

**upper:** not available

**Density :** 2.730 g/cm<sup>3</sup>

**Bulk density:** not available

**Solubility in**

**water (20 °C) :** soluble in water

**diluted acids (20 °C) :** not available

**Thermal decomposition:** not available

## **10. Stability and reactivity**

**Chemical stability**

no data available

**Conditions to avoid**

no data available

**Materials to avoid**

Reducing agents, flammable or combustible materials.

**Hazardous decomposition products**

Other decomposition products - no data available

## **11. Toxicological information**

**Acute toxicity**

no data available

**Skin corrosion or irritation**

Skin - Rabbit

Result: Skin irritation - 4 h

**Serious eye damage or eye irritation**

no data available

**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

no data available

**Specific target organ toxicity - single exposure**

May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure**

no data available

**Aspiration hazard**

no data available

## **12. Ecological information**

**Toxicity**

Toxicity to fish

LC50 - Danio rerio (zebra fish) - 58.5 mg/l - 96 h

---

Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 0.035 mg/l - 48 h
Toxicity to algae	ErC50 - Selenastrum capricornutum (green algae) - 0.23 mg/l - 72 h
Toxicity to bacteria	IC50 - activated sludge - 30 mg/l - 3 h

**Persistence and degradability**

no data available

**Bioaccumulative potential**

no data available

**Mobility in soil**

no data available

**PBT and vPvB assessment**

no data available

**Other adverse effects**

no data available

**13. Disposal considerations****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

**Contaminated packaging**

Dispose of as unused product.

**14. Transport information****ADR/RID**

UN-Number: 3288 Class: 6.1 Packing group: III

Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (Potassium chromate)

**IMDG**

UN-Number: 3288 Class: 6.1 Packing group: III

Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (Potassium chromate)

Marine pollutant: No

**IATA**

UN-Number: 3288 Class: 6.1 Packing group: III

Proper shipping name: Toxic Solid, Inorganic, N.O.S. (Potassium chromate)

**15. Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

**16. Other information**

General update.

**Regional representation:**

This information is given on the authorised Safety Data Sheet for your country.